# THEORETICAL AND APPLIED GENETICS

Vol. 70 1985

International Journal of Breeding Research and Cell Genetics

**Editorial Board**

Managing Editor: H. F. Linskens, Nijmegen

H. Abplanalp, Davis, Calif
L. Alföldi, Szeged
J. S. F. Barker, Armidale
D. K. Belyaev, Novosibirsk
Y. Y. Gleba, Kiev
R. Hagemann, Halle/S.
Hu Han, Peking
A. L. Kahler, Brookings, SD
G. S. Khush, Manila
J. Mac Key, Uppsala
P. Maliga, Oakland, Calif
F. Mechelke, Stuttgart
G. Melchers, Tübingen
B. R. Murty, New Delhi
P. L. Pfahler, Gainesville, Fla
R. Riley, F. R. S., London
A. Robertson, F. R. S., Edinburgh
F. Salamini, Köln-Vogelsang
H. Stubbe, Gatersleben
P. M. A. Tigerstedt, Helsinki
K. Tsunewaki, Kyoto
L. D. Van Vleck, Ithaca, NY
G. Wenzel, Grünbach
D. von Wettstein, Copenhagen

Springer International

International Journal of Breeding Research and Cell Genetics

Founded in 1929 under the title 'Der Züchter' as a German journal for theoretical and applied genetics; changed from a national journal devoted almost exclusively to plant breeding to an international periodical for genetics and breeding research under the same title 'Der Züchter' in 1966; in 1968 to 'Theoretical and Applied Genetics'; edited by H. Stubbe from 1946 to 1976

---

**Copyright**

Submission of a manuscript implies: that the work described has not been published before (except in the form of an abstract or as part of a published lecture, review, or thesis); that it is not under consideration for publication elsewhere; that its publication has been approved by all coauthors, if any, as well as by the responsible authorities at the institute where the work has been carried out; that, if and when the manuscript is accepted for publication, the authors agree to automatic transfer of the copyright to the publisher; and that the manuscript will not be published elsewhere in any language without the consent of the copyright holders.

All articles published in this journal are protected by copyright, which covers the exclusive rights to reproduce and distribute the article (e.g., as offprints), as well as all translation rights. No material published in this journal may be reproduced photographically or stored on microfilm, in electronic data bases, video disks, etc., without first obtaining written permission from the publisher.

The use of general descriptive names, trade names, trademarks, etc., in this publication, even if not specifically identified, does not imply that these names are not protected by the relevant laws and regulations.

While the advice and information in this journal is believed to be true and accurate at the date of its going to press, neither the authors, the editors, nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

*Special regulations for photocopies in the USA*

Photocopies may be made for personal or in-house use beyond the limitations stipulated under Section 107 or 108 of U.S. Copyright Law, provided a fee is paid. This fee is US $ 0.20 per page, or a minimum of US $ 1.00 if an article contains fewer than five pages. All fees should be paid to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA, stating the ISSN 0040-5752, the volume, and the first and last page numbers of each article copied. The copyright owner's consent does not include copying for general distribution, promotion, new works, or resale. In these cases, specific written permission must first be obtained from the publisher.

*Other regulations*

Authors publishing in this journal can, under certain conditions, benefit from library and photocopy fees collected by VG WORT. Authors of German nationality or resident in the Federal Republic of Germany or Berlin (West), as well as citizens of Austria, Switzerland and member countries of the European Community, may apply to Verwertungsgesellschaft WORT, Abteilung Wissenschaft, Goethestraße 49, D-8000 München 2, for detailed information.

Printed in Germany – © Springer-Verlag Berlin Heidelberg 1985 · Springer-Verlag GmbH & Co. KG, D-1000 Berlin 33 · Printers: Graphischer Betrieb Konrad Triltsch, D-8700 Würzburg

# Table of Contents


Abdullah, I.B.: see Hayward, M.D., 48
Ainsworth, C.C.; Doherty, P.; Edwards, K.G.K.; Martienssen, R.A.; Gale, M.D.: Allelic variation at α-Amylase loci in hexaploid wheat 400
Anderson, J.M.: see Barrett, S.C.H., 355
Apfelbaum, L.I.; Blanco, A.: Temporal variation of allele frequencies in populations of *Akodon dolores* (Rodentia, Cricetidae) 569
Ayyagari, V.; Mohapatra, S.C.; Bisht, G.S.; Thiyagasundaram, T.S.; Johari, D.C.:Efficiency of one- and two-stage selection indexes for improvement of net economic merit in White Leghorns 166

Baatout, H.; Marrakchi, M.; Mathieu, C.; Vedel, F.: Variation of plastid and mitochondrial DNAs in the genus *Hedysarum* 577
Badaev, N.S.; Badaeva, E.D.; Bolsheva, N.L.; Maximov, N.G.; Zelenin, A.V.: Cytogenetic analysis of forms produced by crossing hexaploid triticale with common wheat 536
Badaeva, E.D.: see Badaev, N.S. et al., 536
Bajaj, Y.P.S.; Gill Manjeet, S.: In vitro induction of genetic variability in cotton (*Gossypium* spp.) 363
Barnes, S.R.: see Pental, D., 185
Barrett, S.C.H.; Anderson, J.M.: Variation in expression of trimorphic incompatibility in *Pontederia cordata* L. (Pontederiaceae) 355
Bates, G.W.; Hasenkampf, C.A.: Culture of plant somatic hybrids following electrical fusion 227
Bauchan, G.: see Hammerschlag, F.A. et al., 248
Beachy, R.N.: see Doyle, J.J., 369
Bell, A.E.: see Carbonell, E.A. et al., 133
Benito, C.: see Salinas, J. et al., 192
Bernard, M.; Bernard, S.: Meiotic pairing in hybrids between tetraploid Triticale and related species: new elements concerning the chromosome constitution of tetraploid Triticale 390
Bernard, S.: see Bernard, M., 390
Bernard, S.; Jewell, D.C.: Crossing maize with sorghum, *Tripsacum* and millet: the products and their level of development following pollination 474
Bettini, P.: see Buiatti, M. et al., 42
Bianchi, F.: see Gerats, A.G.M. et al., 245
Biasini, G.: see Márton, L. et al., 340
Bietz, J.A.; Burnouf, T.: Chromosomal control of wheat gliadin: analysis by reversed-phase high-performance liquid chromatography 599
Bietz, J.A.: see Burnouf, T., 610
Bisen, M.S.; Singh, S.P.; Rao, S.K.: Effectiveness of selection methods in chickpea *Cicer arietinum* under different environments 661
Bisht, G.S.: see Ayyagari, V. et al., 166
Black, W.C.,IV; Krafsur, E.S.: A FORTRAN program for analysis of genotypic frequencies and description of the breeding structure of populations 484
Black, W.C.,IV; Krafsur, E.S.: A FORTRAN program for the calculation and analysis of two-locus linkage disequilibrium coefficients 491
Blanco, A.: see Apfelbaum, L.I., 569
Bliss, F.A.: see Osborn, T.C. et al., 22
Bogani, P.: see Buiatti, M. et al., 42
Bolsheva, N.L.: see Badaev, N.S. et al., 536
Brown, J.W.S.: see Osborn, T.C. et al., 22
Buiatti, M.; Scala, A.; Bettini, P.; Nascari, G.; Morpurgo, R.; Bogani, P.; Pellegrini, G.; Gimelli, F.; Venturo, R.: Correlations between in vivo resistance to *Fusarium* and in vitro response to fungal elicitors and toxic substances in carnation 42
Burgess, J.E.: see Thompson, M.M. et al., 687
Burnouf, T.: see Bietz, J.A., 599
Burnouf, T.; Bietz, J.A.: Chromosomal control of glutenin subunits in aneuploid lines of wheat: analysis by reversed-phase high-performance liquid chromatography 610
Burrell, M.M.: see Ooms, G. et al., 440

Carbonell, E.A.; Frey, J.J.; Bell, A.E.: Estimation of maternal, sex-linked and additive × additive epistatic gene effects for body size of *Tribolium* 133
Carpena, A.L.: see Julfiquar, A.W. et al., 671
Cermeño, M.C.; Cuñado, N.; Orellana, J.: Meiotic behaviour of Un, D and R genomes in the amphiploid *Aegilops ventricosa* – *Secale cereale* and the parental species 679
Chahal, S.S.: see Virk, D.S. et al., 102
Chen Guoqing: see Zhuang Jiajun et al., 294
Chen Shanbao: see Zu Deming et al., 542
Cheng Ma; Smith, M.A.: Construction and mapping of safflower chloroplast DNA recombinants and location of selected gene markers 620
Chowdhury, M.K.U.: A comparative study of genotypic and environmental response to androgenesis in *Nicotiana rustica* 128
Chyi, Y.S.; Sanford, J.C.: "Egg transformation" induced by irradiated pollen in *Nicotiana*: a re-examination 433
Cohen, D.: see Ladizinsky, G. et al., 97
Compton, W.A.: see Jones, L.P., 318
Cuñado, N.: see Cermeño, M.C. et al., 679

Devreux, M.: see Nielsen, E. et al., 259
Dickhardt, R.: Homokaryotization of *Agaricus bitorquis* (Quel.) Sacc. and *Agaricus bisporus* (Lange) Imb. 52
Doherty, P.: see Ainsworth, C.C. et al., 400
Doyle, J.J.; Beachy, R.N.: Ribosomal gene variation in soybean (*Glycine*) and its relatives 369
Duan Xiaolan: see Zu Deming et al., 542
Dumas, C.: see Palloix, A. et al., 628
Dwivedi, S.; Singh, D.P.: Inheritance of the dwarf plant type in blackgram (*Vigna mungo* (L.) Hepper) (Short communication) 337

Earle, E.D.: see Miah, M.A.A. et al., 113
Edwards, K.G.K.: see Ainsworth, C.C. et al., 400

Fedak, G.: see Gupta, P.K., 265
Feldman, M.: see Galili, G., 634
Fernandez, G.C.J.; Miller, J.C.,Jr.: Estimation of heritability by parent-offspring regression 650
Fernandez, J.A.; Gonzalez, J.M.; Jouve, N.: Meiotic pairing of the amphiploid *Hordeum chilense* × *Triticum turgidum* conv. *durum* studied by means of Giemsa C-banding technique 85
Ferrer, E.: see Jódar, B. et al., 240
Figueiras, A.M.: see Salinas, J. et al., 192
Firman, S.J.: see Sitch, L.A. et al., 309
Fivawo, N.C.; Rees, H.: Chromosome size variation during pollen grain development in *Scilla sibirica* 417

Floener, L.A.: see Scallon, B. et al., 510
Forkmann, G.: see Froemel, S. et al., 561
Forkmann, G.: see Stotz, G. et al., 300
Foster, G.G.; Maddern, R.H.; Helman, R.A.; Reed, E.M.: Field trial of a compound chromosome strain for genetic control of the sheep blowfly *Lucilia cuprina* 13
Fox, J.S.: see Loxdale, H.D. et al., 407
Frey, J.J.: see Carbonell, E.A. et al., 133
Froemel, S.; Vlaming, P. de; Stotz, G.; Wiering, H.; Forkmann, G.; Schram, A.W.: Genetic and biochemical studies on the conversion of flavanones to dihydroflavonols in flowers of *Petunia hybrida* 561
Frusciante, L.: see Snoad, B. et al., 322
Fu Junhua: see Zu Deming et al., 542

Gale, M.D.: see Ainsworth, C.C. et al., 400
Galili, G.; Feldman, M.: Structural homology of endosperm high molecular weight glutenin subunits of common wheat (*Triticum aestivum* L.) 634
Gangadevi, T.; Rao, P.N.; Rao, B.H.; Satyanarayana, K.V.: A study of morphology, cytology and sterility in interspecific hybrids and amphidiploids of *Nicotiana knightiana* × *N. umbratica* 330
Geldermann, H.; Pieper, U.; Roth, B.: Effects of marked chromosome sections on milk performance in cattle 138
Gerats, A.G.M.; Wallroth, M.; Vlaming, P. de; Bianchi, F.: A two-element system controls instability at the *An3* locus in *Petunia hybrida* 245
Gill Manjeet S.: see Bajaj, Y.P.S., 363
Gimelli, F.: see Buiatti, M. et al., 42
Giovinazzo, G.: see Toncelli, F. et al., 345
Golling, R.: see Medgyesy, P. et al., 590
Gonzalez, J.M.: see Fernandez, J.A. et al., 85
Gonzalez-Jaen, M.T.: see Salinas, J. et al., 192
Gottschalk, W.: Phytotron experiments in *Pisum*. 1. Influence of temperature on the flowering behaviour of different genotypes 207
Gupta, P.K.; Fedak, G.: New hybrids of *Hordeum parodii* with *Hordeum vulgare, H. bogdanii, Agropyron caninum* and X *Triticosecale* 265
Gupta, V.P.: see Kumar, R., 107
Gustafsson, I.: see Gustafsson, M. et al., 643
Gustafsson, M.; Liljeroth, E.; Gustafsson, I.: Pathogenic variation and sexual reproduction in Swedish populations of *Bremia lactucae* 643

Hagger, C.: Line and crossing effects in a diallel mating system with highly inbred lines of White Leghorn chickens 555
Hammerschlag, F.A.; Bauchan, G.; Scorza, R.: Regeneration of peach plants from callus derived from immature embryos 248
Hanson, M.R.: see O'Connell, M.A., 1
Hasenkampf, C.A.: see Bates, G.W., 227
Hayward, M.D.; Abdullah, I.B.: Selection and stability of synthetic varieties of *Lolium perenne*. 1. The selected character and its expression over generations of multiplication 48
Helman, R.A.: see Foster, G.G. et al., 13
Hendriks, T.; Vinkenoog, R.; Wijsman, H.J.W.: Genetics of the peroxidase isoenzymes in Petunia. 11. Several loci involved in peroxidase synthesis 595
Herve, Y.: see Palloix, A. et al., 628
Heslop-Harrison, J.: see Heslop-Harrison, Y. et al., 252
Heslop-Harrison, Y.; Reger, B.J.; Heslop-Harrison, J.: Wide hybridization: pollination of *Zea mays* L. by *Sorghum bicolor* (L.) Moench 252
Hirai, A.; Ishibashi, T.; Morikami, A.; Iwatsuki, N.; Shinozaki, K.; Sugiura, M.: Rice chloroplast DNA: a physical map and the location of the genes for the large subunit of ribulose 1,5-biphosphate carboxylase and the 32 KD photosystem II reaction center protein 117
Hu Han: see Wang Xingzhi, 92
Hühn, M.: Theoretical studies on the necessary number of components in mixtures. 1. Number of components and yield stability 383
Hulbert, S.H.; Michelmore, R.W.: Linkage analysis of genes for resistance to downy mildew (*Bremia lactucae*) in lettuce (*Lactuca sativa*) 520

Ishibashi, T.: see Hirai, A. et al., 117
Iwatsuki, N.: see Hirai, A. et al., 117

Jahnavi, M.R.; Murty, U.R.: A preliminary pachytene analysis of two species of *Arachis* L. 157
James, J.W.: see Mueller, J.P., 123
Jewell, D.C.: see Bernard, S., 474
Jia Xu: see Zhuang Jiajun et al., 294
Jódar, B.; Ferrer, E.; Lacadena, J.-R.: On the ordered arrangement of the haploid complement in radial metaphases of secondary meiocytes of male grasshoppers, *Euchorthippus pulvinatus gallicus* 240
Johari, D.C.: see Ayyagari, V. et al., 166
Jones, L.P.; Compton, W.A.: Sampling bias in estimating Design II variance components with $S_1$ families 318
Jouve, N.: see Fernandez, J.A. et al., 85
Julfiquar, A.W.; Virmani, S.S.; Carpena, A.L.: Genetic divergence among some maintainer and restorer lines in relation to hybrid breeding in rice (*Oryza sativa* L.) 671
Jung, C.; Lelley, T.: Genetic interactions between wheat and rye genomes in triticale. 2. Morphological and yield characters 427
Jung, C.; Lelley, T.; Röbbelen, G.: Genetic interactions between wheat and rye genomes in triticale. 1. Cytological results 422

Kamala, T.: see Sasikala, S., 338
Karp, A.: see Ooms, G. et al., 440
Kaul, M.L.H.; Murthy, T.G.K.: Mutant genes affecting higher plant meiosis (Review) 449
Khush, G.S.: see Miah, M.A.A. et al., 113
Khush, G.S.: see Mohanty, H.K., 467
Kloc-Bauchan, F.: see Schnabelrauch, L.S. et al., 57
Knox, R.B.: see Palloix, A. et al., 628
Kovács, E.I.: Regulation of karyotype stability in tobacco tissue cultures of normal and tumorous genotypes 548
Krafsur, E.S.: see Black, W.C.,IV, 484
Krafsur, E.S.: see Black, W.C.,IV, 491
Kumar, R.; Gupta, V.P.: Isozyme studies in Indian mustard (*Brassica juncea* L.) 107

Lacadena, J.-R.: see Jódar, B. et al., 240
Ladizinsky, G.; Cohen, D.; Muehlbauer, F.J.: Hybridization in the genus *Lens* by means of embryo culture 97
Lefkovitch, L.P.: Multi-criteria clustering in genotype-environment interaction problems 585
Lelley, T.: see Jung, C., 427
Lelley, T.: see Jung, C. et al., 422
Li Liancheng: see Zu Deming et al., 542
Liljeroth, E.: see Gustafsson, M. et al., 643
Lin, C.Y.: A simple stepwise procedure of deriving selection index with restrictions 147
Loehrke, B.: Prediction of growth with kinetics of cell-free translation systems 667

Loxdale, H.D.; Rhodes, J.A.; Fox, J.S.: Electrophoretic study of enzymes from cereal aphid populations. 4. Detection of hidden genetic variation within populations of the grain aphid *Sitobion avenae* (F.) (Hemiptera: Aphididae) 407
Luo Yonghui: see Zu Deming et al., 542

Ma, C.: see Smith, M.A. 32
Maddern, R.H.: see Foster, G.G. et al., 13
Maliga, P.: see Márton, L. et al., 340
Malti; Shivanna, K.R.: The role of the pistil in screening compatible pollen 684
Marrakchi, M.: see Baatout, H. et al., 577
Martienssen, R.A.: see Ainsworth, C.C. et al., 400
Martinez-Zapater, J.M.; Oliver, J.L.: Isozyme gene duplication in diploid and tetraploid potatoes 172
Martini, G.: see Toncelli, F. et al., 345
Márton, L.; Biasini, G.; Maliga, P.: Co-segregation of nitrate-reductase activity and normal regeneration ability in selfed sibs of *Nicotiana plumbaginifolia* somatic hybrids, heterozygotes for nitrate-reductase deficiency 340
Mathieu, C.: see Baatout, H. et al., 577
Maximov, N.G.: see Badaev, N.S. et al., 536
Medgyesy, P.; Golling, R.; Nagy, F.: A light sensitive recipient for the effective transfer of chloroplast and mitochondrial traits by protoplast fusion in *Nicotiana* 590
Melchers, G.: see Roddick, J.G., 655
Miah, M.A.A.; Earle, E.D.; Khush, G.S.: Inheritance of callus formation ability in anther cultures of rice, *Oryza sativa* L. 113
Michelmore, R.W.: see Hulbert, S.H., 520
Miller, J.C.,Jr.: see Fernandez, G.C.J., 650
Mohanty, H.K.; Khush, G.S.: Diallel analysis of submergence tolerance in rice, *Oryza sativa* L. 467
Mohapatra, S.C.: see Ayyagari, V. et al., 166
Monti, L.M.: see Snoad, B. et al., 322
Morgan, P.W.: see Pickering, R.A., 199
Morikami, A.: see Hirai, A. et al., 117
Morikawa, T.: Indentification of the 21 monosomic lines in *Avena byzantina* C. Koch cv. 'Kanota' 271
Morpurgo, R.: see Buiatti, M. et al., 42
Muehlbauer, F.J.: see Ladizinsky, G. et al., 97
Mueller, J.P.; James, J.W.: Phenotypic response to selection for traits with direct and maternal components when generations overlap 123
Murthy, T.G.K.: see Kaul, M.L.H., 449
Murty, U.R.: see Jahnavi, M.R., 157

Nagy, F.: see Medgyesy, P. et al., 590
Namkoong, G.: The influence of composite traits on genotype by environment relations 315
Nascari, G.: see Buiatti, M. et al., 42
Newton, K.J.: see Oro, A.E. et al., 287
Nicoloff, H.; Rieger, R.: Mutations in rDNA. 3. Modulatory action of α-amanitin on aberration induction in nucleolus organizer regions 178
Nielsen, E.; Selva, E.; Sghirinzetti, C.; Devreux, M.: The mutagenic effect of gamma rays on leaf protoplasts of haploid and dihaploid *Nicotiana plumbaginifolia*, estimated by valine resistance mutation frequencies 259
Nielsen, N.C.: see Scallon, B. et al., 510
Nuti Ronchi, V.: see Toncelli, F. et al., 345

O'Connell, M.A.; Hanson, M.R.: Somatic hybridization between *Lycopersicon esculentum* and *Lycopersicon pennellii* 1
Oliver, J.L.: see Martínez-Zapater, J.M., 172
Ooms, G.; Karp, A.; Burrell, M.M.; Twell, D.; Roberts, J.: Genetic modification of potato development using Ri T-DNA 440
Orellana, J.: see Cermeño, M.C. et al., 679
Oro, A.E.; Newton, K.J.; Walbot, V.: Molecular analysis of the inheritance and stability of the mitochondrial genome of an inbred line of maize 287
Osborn, T.C.; Brown, J.W.S.; Bliss, F.A.: Bean lectins. 5. Quantitative genetic variation in seed lectins of *Phaseolus vulgaris* L. and its relationship to qualitative lectin variation 22

Palloix, A.; Herve, Y.; Knox, R.B.; Dumas, C.: Effect of carbon dioxide and relative humidity on self incompatibility in cauliflower, *Brassica oleracea* 628
Palmer, R.G.; Rodriguez de Cianzio, S.: Conditional lethality involving nuclear and cytoplasmic chlorophyll mutants in soybeans 349
Pellegrini, G.: see Buiatti, M. et al., 42
Pental, D.; Barnes, S.R.: Interrelationship of cultivated rices *Oryza sativa* and *O. glaberrima* with wild *O. perennis* complex. Analysis of Fraction 1 protein and some repeated DNA sequences 185
Pickering, R.A.; Morgan, P.W.: The influence of temperature on chromosome elimination during embryo development in crosses involving *Hordeum* spp., wheat (*Triticum aestivum* L.) and rye (*Secale cereale* L.) 199
Pieper, U.: see Geldermann, H. et al., 138
Pogna, N.: see Viotti, A. et al., 234
Pooni, H.S.: see Virk, D.S. et al., 102
Privitera, E.: see Viotti, A. et al., 234

Qian Jin: see Yan Yongshan et al., 529

Rao, B.H.: see Gangadevi, T. et al., 330
Rao, P.N.: see Gangadevi, T. et al., 330
Rao, S.K.: see Bisen, M.S. et al., 661
Reddy, G.M.: see Suresh Kumar, A. et al., 151
Reddy, T.P.: see Suresh Kumar, A. et al., 151
Reed, E.M.: see Foster, G.G. et al., 13
Rees, H.: see Fivawo, N.C., 417
Reger, B.J.: see Heslop-Harrison, Y. et al., 252
Rhodes, J.A.: see Loxdale, H.D. et al., 407
Rieger, R.: see Nicoloff, H., 178
Rieger, R.: see Schubert, I., 213
Roberts, J.: see Ooms, G. et al., 440
Roddick, J.G.; Melchers, G.: Steroidal glycoalkaloid content of potato, tomato and their somatic hybrids 655
Rodriguez de Cianzio, S.: see Palmer, R.G., 349
Röbbelen, G.: see Jung, C. et al., 422
Roth, B.: see Geldermann, H. et al., 138

Sala, E.: see Viotti, A. et al., 234
Salinas, J.; Figueiras, A.M.; Gonzalez-Jaen, M.T.; Benito, C.: Chromosomal location of isozyme markers in wheat-barley addition lines 192
Sanford, J.C.: see Chyi, Y.S., 433
Sasikala, S.; Kamala, T.: Ethidium bromide (EB) induced mutants in gingelly (*Sesamum indicum* L.) cultivar 'Vinayak' (Short communication) 338
Satija, D.R.; Thukral, S.K.: Genetic analysis of phytic acid content in pearl millet 693
Satyanarayana, K.V.: see Gangadevi, T. et al., 330
Scala, A.: see Buiatti, M. et al., 42
Scallon, B.; Thanh, V.H.; Floener, L.A.; Nielsen, N.C.: Identification and characterization of DNA clones encoding group-II glycinin subunits 510
Schmidt-Stohn, G.: see Wehling, P. et al., 377

Schnabelrauch, L.S.; Kloc-Bauchan, F.; Sink, K.C.: Expression of nuclear-cytoplasmic genomic incompatibility in interspecific *Petunia* somatic hybrid plants 57
Schram, A.W.: see Froemel, S. et al., 561
Schram, A.W.: see Stotz, G. et al., 300
Schubert, I.; Rieger, R.: A new mechanism for altering chromosome number during karyotype evolution 213
Schüler, L.: Selection for fertility in mice – the selection plateau and how to overcome it 72
Scorza, R.: see Hammerschlag, F.A. et al., 248
Selva, E.: see Nielsen, E. et al., 259
Sghirinzetti, C.: see Nielsen, E. et al., 259
Shamsuddin, A.K.M.: Genetic diversity in relation to heterosis and combining ability in spring wheat 306
Shinozaki, K.: see Hirai, A. et al., 117
Shivanna, K.R.: see Malti, 684
Singh, D.: Selection of isoresponsive genotypes in toria (*Brassica campestris* L.) based on the pattern of response to environmental variations: a proposed method 413
Singh, D.P.: see Dwivedi, S. et al., 337
Singh, R.P.; Singh, S.: Detection and estimation of components of genetic variation for some metric traits in tomato (*Lycopersicon esculentum* Mill) 80
Singh, S.: see Singh, R.P., 80
Singh, S.P.: see Bisen, M.S. et al., 661
Sink, K.C.: see Schnabelrauch, L.S. et al., 57
Sitch, L.A.; Snape, J.W.; Firman, S.J.: Intrachromosomal mapping of crossability genes in wheat (*Triticum aestivum*) 309
Smith, D.C.: see Thompson, M.M. et al., 687
Smith, M.A.: see Cheng Ma, 620
Smith, M.A.; Ma, C.: Restriction endonuclease cleavage site map of safflower (*Carthamus tinctorius* L.) chloroplast DNA 32
Smith, O.S.: see Tomes, D.T., 505
Snape, J.W.: see Sitch, L.A. et al., 309
Snoad, B.; Frusciante, L.; Monti, L.M.: The effects of three genes which modify leaves and stipules in the pea plant 322
Song Xianbin: see Zu Deming et al., 542
Stotz, G.: see Froemel, S. et al., 561
Stotz, G.; Vlaming, P. de; Wiering, H.; Schram, A.W.; Forkmann, G.: Genetic and biochemical studies on flavonoid 3′-hydroxylation in flowers of *Petunia hybrida* 300
Subhashini, U.; Venkateswarlu, T.: Genotypes and their response to in vitro production of haploids in $F_1$ lines of *Nicotiana tabacum* (Short communication) 225
Sugiura, M.: see Hirai, A. et al., 117
Sun Shancheng: see Zhuang Jiajun et al., 294
Suresh Kumar, A.; Reddy, T.P.; Reddy, G.M.: Genetic analysis of certain in vitro and in vivo parameters in pigeonpea (*Cajanus cajan* L.) 151

Tallis, G.M.: Transfer systems and covariance under assortative mating 497
Thanh, V.H.: see Scallon, B. et al., 510
Thiyagasundaram, T.S.: see Ayyagari, V. et al., 166
Thompson, M.M.; Smith, D.C.; Burgess, J.E.: Nondormant mutants in a temperate tree species, *Corylus avellana* L. 687
Thukral, S.K.: see Satija, D.R., 693
Tomes, D.T.; Smith, O.S.: The effect of parental genotype on initiation of embryogenic callus from elite maize (*Zea mays* L.) germplasm 505
Toncelli, F.; Martini, G.; Giovinazzo, G.; Nuti Ronchi, V.: Role of permanent dicentric systems in carrot somatic embryogenesis 345
Twell, D.: see Ooms, G. et al., 440

Vedel, F.: see Baatout, H. et al., 577
Venkateswarlu, T.: see Subhashini, U., 225
Venturo, R.: see Buiatti, M. et al., 42
Viinikka, Y.: Identification of the chromosomes showing neocentric activity in rye 66
Vinkenoog, R.: see Hendriks, T. et al., 595
Viotti, A.; Privitera, E.; Sala, E.; Pogna, N.: Distribution and clustering of two highly repeated sequences in the A and B chromosomes of maize 234
Virk, D.S.; Chahal, S.S.; Pooni, H.S.: Repeatability of stability estimators for downy mildew incidence in pearl millet 102
Virmani, S.S.: see Julfiquar, A.W. et al., 671
Vlaming, P. de: see Froemel, S. et al., 561
Vlaming, P. de: see Gerats, A.G.M. et al., 245
Vlaming, P. de: see Stotz, G. et al., 300

Walbot, V.: see Oro, A.E. et al., 287
Wallroth, M.: see Gerats, A.G.M. et al., 245
Wang Xingzhi; Hu Han: The chromosome constitution of plants derived from pollen of hexaploid triticale × common wheat $F_1$ hybrids 92
Wehling, P.; Schmidt-Stohn, G.; Wricke, G.: Chromosomal location of esterase, peroxidase and phosphoglucomutase isozyme structural genes in cultivated rye (*Secale cereale* L.) 377
Wiering, H.: see Froemel, S. et al., 561
Wiering, H.: see Stotz, G. et al., 300
Wijsman, H.J.W.: see Hendriks, T. et al., 595
Wricke, G.: see Wehling, P. et al., 377

Xi Xiahui: see Yan Yongshan et al., 529
Xie Bensong: see Zu Deming et al., 542

Yan Yongshan: Cytogenetics and the major histocompatibility complex in a proliferating microcell-mediated hybrid clone 279
Yan Yongshan; Qian Jin; Xi Xiahui: Sister chromatid differential staining and NOR activity of BrdU-resistant sublines 529

Zelenin, A.V.: see Badaev, N.S. et al., 536
Zhuang Jiajun; Jia Xu; Chen Guoqing; Sun Shancheng: Factors affecting the induction of pollen plants of intergeneric hybrids of *Triticum aestivum* × *Triticum-Agropyron* 294
Zu Deming; Chen Shanbao; Duan Xiaolan; Fu Junhua; Song Xianbin; Luo Yonghui; Li Liancheng; Xie Bensong: Genetic variations in the hybrids of rice (*Oryza sativa*) and sorghum (*Sorghum vulgare*) 542

**Book reviews** 111, 222, 223, 224, 333, 334, 335, 336, 447, 448, 573, 574, 575, 576, 697, 698

**Announcements** 112, 336, 576

**Author's correction** 576

Indexed in Current Contents